No. 20 }

SUPPLEMENT TO

The Eazette



of Andia

NEW DELHI, SATURDAY, MAY 14, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th April, 1955.

				Сн	OLERA	S	MALLPO	k) PL	AGUE					Cı	ioler <i>i</i>	A SA	<i>A</i> ALLPOX	PL	AGUE
	_	_		C.	D.	. с.	D,	_ C.	D.					C.	. г	о. с	. D.	C.	D.
	ST	ATE	S P	ART ((A) &	PAR	T (C)						A		cont				
				A	jmer					Darrang				6	6				
		To	TAL.	41	ушег	4	2			Nowgong .				14	6		••	••	**
				••	••	4	2	•-	••	Sibsagar			·	3	2	••	••	••	••
(Estd. Mid- 741 thouse	year nds).	pop.								Garo Hills						••	••	•-	~•
Total for w/e	9-4-5	5		4.4	***	5	4	***	••		Тота					••	••	••	••
Total for w/c	2-4-	55				8	6		••		1014	L	•	30	17	ĭ	••	1.7	
7-yearly mean	n for	the								(Estd. mid-y 9,672 thous	ear po	p,							
week .	•	•	•	- •		9	5	• •	••		_								
				Aı	ndhra	ı				Total for w/e			•	64	19) I	••	• •	
Srikakulam				15	9	16	2	_	_	Total for w/e			•	77	45		-	-	
Visakhapatnar	n •			••		8	I	_	_	7-yearly mea week .	n for th	•		30	24	8	,		
Godavari East						11	_ I		_					•	-4		-		
Godavari Wes		_	_			7	1	_						Bh	opal				
Krishna .	_	·	·		•			••	-					N	R.				
Guntur .	•	•	•	••	••	10		•••	•••										
	•	•	•	••	••	35	11	*.*	8-4					В	iher				
Nellore .	•	•	•	••	• •	5	• •			Patna .	•	•	•	I	••	• •	••	••	••
Kurnool	•	•	1	••	••	4	I		4.4	Gaya .	•	•	•	2 3	7	21	9	••	••
Chittoor .	•	•	•	••	••	1,5	4	••	••	Shahabad .	•	•	•	21	1	I	••		••
	Тот	AL	•	15	9	111	21	••		Saran -	•	•	•	16	1		•		••
(Estd. mid-ye	ar po	p.								Muzaffarpur	•	•		10	6	3	1	_	••
· -										Darbhanga			•	••	••	15	1	_	••
Total for w/e 9	- 4-55	i	•	28	10	189	34	• •	• •	Monghyr .			•	2	••	7	14	_	••
Total for w/e a	2 - 4-55		•	31	8	191	34	••		Santal Pargana				8	4		••	••	-
7-yearly mean	for th	ı¢		6-							TOTAL			81	19	47	11		
week .	•	•	•	62	25	416	73	••	-	(T.) 11								••	
				Assaz	n n					(Estd. mid-yes 41,828 thous	ar pop.								
Lushi Hills				••		1		••		Total for w/e	9-4-55			47	14	50	13	••	
Goalpara	_		_						••	Total for w/e 2	-4 - 55		, ,	78	20	120	12	••	
	•	•	•	••	••	••	••	••	••	7-yearly mean	for the						_		••
Kamrup	D	nlaess	·	7 of Samul	3 hala	••		••	• •	week			1	28	5 2	489	68	23	10
	CI	hisina	rion (or symi	DON'S TREE	sed: (es ; D.	.—Deat	hs Nil.	N. R. — I	nfor	matic	ion ac	recei	ved.			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th April, 1955—contd.

	CHOLERA	SMALLPOX	PLAGUE		CHOLERA	Smallpox	PLAGUE
	C. D.	C. D.	C. D.	******	C. D.	C. D.	. c ກ
	Bombay			De	elhi—contd.		
Greater Bombay	•• ••	7 2	••	Estd. mid year pop. 1,744 thousands.)			
Ahmedabad	•••	1 1	•• ••	,			
Kaira		8	••	Total for w/c 9-4-55 Total for w/c 2-4-55	** **	4 1	
Panch Mehals		. I I			-• ••	2	••
Surat	•• ••	4 ••	••	7-yearly mean for the week		7 2	
Satara South		16 5	** **				
Ahmednagar	•• ••	25 2		Hi	machal Pro	adesh	
Bast Khandesh	•• ••	66 11	•• **		N. R.		
West Khandesh	••	20 4	b				
Nasik		70 6		Me	adhya Prad	06 h	
Poona		15 1			N. R.		
Satara North		9					
Dharwar	. ı .	2 _		W.L. Ob.	Madras		
Kanara	<i></i>	2 I	•• ••	Madras City	••	8	••
Ramagiri		5	** **	Chingleput	•• ••	3 2	•• ••
Kolaba		ı		Coimbatore	ž	Ι	** **
Kolhapur	. 140 e.c.	3	••	Tiruchirappalli	5 I	6	•• ••
TOTAL	I	256 34		Mathural	-• .•	15 2	
(Eatd. mid-year pop.		-30 34	(Remnethepurem		7 3	
38,892 thousands.)				Tirunelveli		3 I	** **
Total for w/e 9-4-55	5 4	2 53 28	-	Nilgiris	**	•• ••	•• ••
Total for w/e 2-4-55	21 10	350 34	••	Malabar	••	14 12	** **
7-yearly mean for the	10 4	554 97		South Kanara	••	ı ı	•• ••
				TOTAL .	7 I	58 21	** **
Total .	Coorg	. 2	••	(Estd. mid-year pop. 37,797 thousands.)			
(Estd. mid-year pop. 256 thousands.)				Total for w/e 9-4-55 .	12 5	58 11	** **
Total for w/c 9-4-55		6 I		Total for w/e 2-4-55 .	4 2	71 25	•• ••
Total for w/e 2-4-55		5		7-yearly mean for the	189 108	136 34	
7-yearly mean for the							
week		1849 N. A.			Мацри	ı r	
	Delhi			TOTAL .			** **
Delhi City · · ·		r		(P 41)3			
Delhi Notified Area .		2		(Estd. mid-year pop. 606 thousands.)			
Rural Circles	•• ••	3 I	••	Total for w/e 9-4-55			•• ••
TOTAL .	9.9 40.0	4 3		Total for w/e 2-4-55	* T # #		
Explana	tion of Symb	ols used t C. —	Cases 1 D D	eaths;Nil; N. RInform	ation not re	ceived.	

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th April, 1955—contd.

				CHOL	AFE	SMA	LLPOX	PLA	QUE			Сн	OLERA	Sma	LLPOX	Pi	LO UE
				C.	D.]	C,	D,	C,	D.			C.	D.	C,	D.	C,	D.
				Ot	issa						ı	Uttar	Prade	eh			
Cuttack .			•	6	3	8	••	••	••	Dehra Dun		••	••	4	••		
Balasore .			•	I	1	14	••			Saharanpur		••		5	I	••	••
Puri .	•	•	•	2	••	8	••	**	••	Muzaffarnagar .			••	6	I	••	• •
Sambalpur	•	•	•	••	-	6	I	**	••	Mathura	•	••	••	I	I	••	••
Koraput .	•	•	•	••	-	I	••		-	Agra ·		• 1	••	I	••		
Keonihar	•	•	•	••	••	10	••	••	••	Mainpurl		••	••	4	2		
Dhenkanal	•	•	•	••	••	3	٠.	• •		Bareilly	•	- •	••	2	4		
Sundergarh	•	•	•	• •	••	6		••	**	Budaun •	•			I	r	••	
Kalahandi	•	•	•	5	3	14	••	••	••	Shahjahanpur	•	••	••	8	••	••	
Mayurbhanj		•		2	• •	10	I	••	••	Pllibhit	•	••	••	2	••	••	••
	Tor	AL	•	16	7	70	2	••	••	Farrukhabad	٠			7	5	••	
(Estd. mid-yes	и рора	1								Etawah	•	••	••	3	••	••	••
15,026 thou	ands.)									Kanpur	•	••	••	7	I	••	••
Total for w/e	9-4-5		•	6	4	63	2	••	**	Fatchpur	•	••	••	I	••	••	
Total for w/c			•	4	2	134	4	••	••	Allahabad	•	••	••	7	••	••	w
7-yearly mean week	for the	•		64	40	275	22	••	••	Jalaun	•	2	I	I	2	• :	••
							-			Hamripur	•		- •	15	3	••	••
				Panj	ab (I)				Banaras	•	••	••	3	İ	••	
Hissar .	•	•	•	••		I	**	••	••	Deorla	•	••	••	I	_	2/0	••
Karnal	•	•	•	••	••	••	2	••	••	Nainitel		••		2	••	••	••
Ambala .		•	•	••	••	5	••	••	••	Garhwal		••	••	15	2	••	
Ferozepur .	•	•	•	••	••	4	••	••	•-	Lucknow		••	••	19	6		••
	Total			••	••	10	2	••	•	Unao	•	••	••	6	4	••	
(Estd. mld-yea	г рор.									Rae Barelli	•	••	••	I	I	••	••
12,641 thou	andi.)									Sitapur		••		I	• •	••	
Total for w/e	9-4-1	55	•	••	••	4	r	••	••	Kherl	•	2	I	9	8	••	tus .
Total for w/e:	2-4-55		•	• •	••	4	I	••	••	Pratapgarh	•	••	••		••	ı	••
7-yearly mean week .	for th		•		••	21	5	••	_	Bara Banki	•	••	••	12	5	••	••
										TOTAL	•	4	2	144	48	I	1-
				Tr	pura					/Retd mid was non							
	To	TAL	•	1	••	••	••	••	•	(Estd. mid-year pop. 66,112 thousands.)							
(Estd. mid-ye 694 thousand	ar poj	p.								Total for w/e 9-4-55	•	.5	I	138	43	r	••
Total for w/e				12	3	1		••	_	Total for w/e 2-4-55	•	3	2	117	36	I	••
Total for w/e 2			,	••		••	•••	••		7-yearly mean for the week		78	40	2 56	6~	2=-	
	7 77			Expla	nation	of Syn	abols u	sed 1 C	Cas	es; D.=Deaths;=Nil.		, u	40	∪ر∡	67	217	73

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 16th April, 1955—contd.

	CHOLERA	Smallpox	PLA	9UB	,	Сног	endra S	MALLPOX	PLA	GU B
	C. D.	C. D.	C.	D.	#4B reser	C.	D. G	D.	J.	э.
V	indhya Prad	lesh				Myso	ro			
Total	48 16	17 1	•	•••	Bangalore	. 31	4		••	• •
(Estd. mid-year pop. 3,665 thousands).					Chitaldrug Hassan	. 1	I	••	••	••
5,005 incusances.					Hassan		7	3		••
	West Bengu)			Kolar			••	18	4
Burdwan	4 3	3	••	••	Mysore		4	2	••	••
Bankura	••	2 I	••	••	Total	• 53	12 31	5	18	4
Midnapur	3 2	13 7		••	202112	. 55		3	10	4
Hooghly	6 2		••	••	Patiela and	d East Pun	jab State	• Union		
Howrah	24 10		••		TOTAL .		••	5 I	_	• •
24-Parganas	18 7					Rajas				
Calcutta	26 9	2 2				N. I	₹.			
	•		••	**		Saurast	itra			
Nadia	I I	••	* "	• -	Gohilwad	• ••	· · ·	5 4	••	••
Malda	•• ••	I	••	••	Sorath	• • •	1	_	-	-
Jalpaiguri		ı ı	••	••	Total		16	5 4	• •	••
TOTAL	82 34	22 11	••	••	1	ravancore-	Cochin			
(Estd. mid-year pop.					TOTAL .		10	1		
26,098 thousands.)					Grand Total for State	: 8				
Total for w/e 9-4-55	51 26	43 15	••		Part (B)	• 57	12 69	12	18	4
Total for w/e 2-4-55	41 20	57 43	••		Grand Total for Sta Parts (A) (B) and (tes C)- ∮ 338	117 81	168	19	4
7-yearly mean for the	583 267	460 188			4 D	RDAB INF	OPMATI	ΩN		
weekj	583 267	400 100	••	~4	441		JKMAIJ	O14		
Grand Total for States Parts (A) & (C)						Bhop	al			
(excluding Bhopal and Himachal Pradesh)	285 105	746 156	I	• •	w/s 12-2-55		20	7		••
	- 5	,. ₂	_		" 19-2-55	•	13	3 4	-	-
(Estd mid-year pop. 2,52,108 thousands).					" 26-2-55	• ••	10	5 5	• ·	ar*
Total for w/e 9-4-55	230 86	815 1 53	I		" 5-3-55	•	· · I	7 5	••	••
10(a) 101 W/C 9-4-33	~30 00	0-0	•	••	" I2-3-55	• ••	22	2 7	• •	• •
Total for w/e 2-4-55	303 117 1	1006 203	I	••	West	Bengal w/	o 2-4-55			
STA	TES PART	(B)			Burdwan · · ·	- 3	1 1			_
					Birbhum		2	••	••	••
1	dyderabad				Bankura	. 2	2 I	••	••	••
Raichur		7 1	••	••	Midnapur Hooghly	_	17	25 	••	••
TOTAL .		7 1	••	••	Howrah		2 4	r	••	••
Jamm	n and Kashi	nir			24 Parganas	. 21	8 18	12	••	••
	N. R.				Calcutta · · ·	- 9	7 4	4	••	••
Mad	lhya Bharat	1			Jalpaiguri		. 10	I	••	••
	N. R.				TOTAL	. 41	20 57	43	••	••

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ~ Nil ; N. R. - Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the r6th April, 1955—concld.

				Сно	LERA	SMAI	1.PG/X	Pt.AG	IU I					Сно	LERA	SMAI	LPOX	PLA	AGUF
				C.	D.¶	C.	D,	C.	D.	-				c.	D.	C.	D.	€.	D
	Me	adhya	a Pre	desh	W	/e 9-4-	55				Ma	dhya	Prac	iosh a	v/e 2-4	4-55			
Nagpur .	•	•	•	••		I				Chanda .			•	••	••	5	••	••	••
Wardha .					••	ı			٠.	Chhindwara	•	•	•	••	••	5	1		• •
O11: 1										Berul .			•	• •	, •	7	2	••	••
Chhindwara	•	•	•	••	••	12	2	**	••	Bhandara		•	•	••	••	21	3	••	••
Bhandara			•			53	12		٠.	Jabalpur .	•	•	•	••	••	5	••	••	••
T-1 1										Sagar	•	•	•	••	••	11	••	••	••
Jabalpur .	•	•	•	••	• •	3	• •	•	, -	_	•	•	•	••	••	173	6	••	••
Sagar .		•	•	••		7	2	4 •	••	Nimar Balaghat	•	•	•	••	••	30	5	••	• •
Hoshangabad	ı					123	~				•	•	•	••	••	25	••	••	••
2100110110110	-	•	•	•		143	7	~	**	Raipur . Bastar	•	•	•	18	4	8	I	••	••
Nimar .			•	••		17	5			Raigarh	•	•	•	••	••	2	••	••	• •
Raipur .	_			2	ĭ	2				Amravati	•	•	•	3	1		••	••	• •
	-		•	~	•	2	••	• •	••	Yeotmal	•	•	•		••	39 2	••	••	••
Bastar .	•	•	•	••	• •	4	••	••	• •	Akola			·	••	•••	10	 I	••	• •
Raigarh	•			••		5		٠.	14	Buldana						23	4	-•	••
A											Tot	1					-	••	••
Amravati	•	•	•	• •	- 1	34	• •	٠-	•		101	ш	-	21	5	366	23		••
Yeotmal .	٠	•				2	•					Sa	urasl	itra	w/e	2-4-55			
Akola -	-	•			• •	7				Gohilwad .				••		13		*	
Buldana .					•.	40	,			Halar .						6	8		
	•	•	•		••	40	5	•		Sorath						3	3	• •	
	Total	•	•	2	1	311	33	• •	••		To	tal		•		22	11		_

Explanation of Symbols used: C.-Casos; D.-Deaths; ..-Nil; N. R.-Information not received.

New DELHI-2 (INDIA);

K. MITRA,

The 9th May, 1955.

for Registrar General, India

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955

												Dea	the from	ı—		_		
Town	a			Popt	year n. Est. (00)	В.	B.R.•	c	•	s.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
							S	TAT	E8	-(Part	s A an	d C)						
Ajmer										"N. R								
Andh																		
Adoni Anantpur Anakapalli	•	:	•	,	61 36 45	35 15 22	29·8 20·7 25·1		•		::	 2 3	1 2 1	6 3 1	ı I	13 19 16	11'1 27'4 18'5	 4 I
Bhimavaram Chirala Chittoor†	•	•	:		35 42	26 43	38·6		•	::	••	2 2		• •	••	7 9	10·4	4 3
Cuddapah . Eluru Gudiyada .	•	•	:		41 97 35	26 34 22	32.7 33.0	2.	•	•••		2 5 6	 I	2 3 	 I	10 27 10	12·0 14·5 14·9	1 5 4
Guntur . Guntakal . Kakinada .	:	:	:		143 36 111	101 38 68	36°; 54°	9	••	 ::	•••	8 .5	5 I I	13 2	••	63 9 18	22·9 13·0 8·4	17 2 2
Kurnool Masulipatnam 1			•		67	79	6I ·	3	••	••	••	ı	ı	2	••	24	18.6	8
Nandyal .	•	•	•		37	25	35.	I	••	••	••	••	2	5	••	10	14.1	2
Nellore Proddatur †	•	•	•		92	151	85.		••	••	••	8	2	4	I	31	28.8	15
Rajahmundry	•	•	•		119	57	24'		••	••	••	7	I	I	••	24	10.5	3
Tenali Vijaiwayada Visakhapatnam	:	:	:		65 194 124	50 93 62	40 · 24 · 26 ·	9	••	••	::	2 10 8	2 3 ••	4 6 5	••	15 52 34	13·0 13·0	3 12 6
Vizianag ram	•	•	•		74	28	19.	7		••	• •	2	••	1	••	17	11.9	3
	TOTAL	• •	•		1,454	975	34	9	••	• •	••	73	23	58	5	428	15.3	95
Assar	11)																	
Shillong† Gauhati . Dibrugarh .	:	:	:		50 44	5 I	5		••	·:.	·:.	1	r 	•:.	•••	9	9.4	••
Silchar	•	•	•		42	2	21	4	••	••	••	I	I		••	3	3.7	1
	TOTAL		•		136	8	3	ï	••	••	••	2	2	••	••	12	4.6	1
	Bho	opal								"T	N. R."							
	Bil	ler																
Patna Corpora Bihar Dinapur	•	•	:	:	321 67 44	12	8	0°9 6°2 4°7	::	•••	••	9 3 		 	 3	54 4 6	3.1 8.8	••
Gaya Bettiah Muzaffarpur†	:	:	:	:	146 38	3		1.0 1.0		::	••			12	••	49 2	17·5 2·7	••
Arrah Chapra Darbhanga	:	:	:	:	69 68 92		II	5°3 8°4 18°7	<i>::</i>		::	5	1 1 3			7 3 18	2·3	 I
Monghyr Jamalpur . Bhagalpur .	:	•	:	:	79 46 124		5	21·1 5·7 2·6	.:.	4		2 I 2	••		···	3 4 18	2·0 4·5 7 6	
Ranchi Purullia Dhanbad	•	•	:	:	126 46 4 0		6	2·4 6·8 2·1	•••	••	···	 	••	 	•	13 2 3	_	
Jamshodpur Ketihar Hezaribagh	:	•	:	:	241 49 38			10·9 13·0	.:.		•••	••	 		••	16 12	3.5	
Тотл	NL .	•	•	•	1634			5.9	I	5		5 I	8	21	4	214	6.8	3

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.=Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevera; D. D.—Dy sentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infautile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955—contd.

Deaths from :--

												۰		_				
	Точ	/n			Po	iid.=year pnEst. (000)	В.	B.R.*	C.	s.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I,D.
	Вот	nba	y					"	N.R."									
	D	elhi	State															
Delhi City New Delhi N. A. C. Ci		:	•		•	1,085 355 111	524 162 58	25·1 23·7 27·2	••	2	••	73 5 4	6 2 I	28 10 4		161 48 18	7·7 7· 0 8·4	62 6 5
Delhi Cantt Delhi-Shah			:		:	49 51	3I 28	32·9 28·5	••	**	••		•7•	2 3	••	3	3°2	 2
			Тота	L		1,651	803	25.3	••	2	••	87	9	47		2 40	7.6	- 75
	Me	dhv	a Pre	desh	1													
	.,		- .													_		
Achelpur Amravati Kamptee†	•	•	•	:		38 98	34 42	46·5 22·3	••		••	11	4	2 3		16 32	17.0 21.0	10
Chindwara Bilaspur† Burhanpur†		•	•	•	•	30	22	38.1	••	I	••	2		••	••	10	17-3	3
Chanda Wardha † Hinganghat	†	•	•	•	•	43	26	31.4	••	••	••	1	I	• •	τ	5	6.0	I
Khandwat Nagpurt Akola		•				101	7 9	40.7			••	12	2	••	••	37	19.0	IÍ
Yeotmal Raipur†		-		•	•	40	29	37•7	w+	••	••	I	••	2	2	10	13.0	2
p ,			Тота	i.	٠	350	232	34.2		1		33	8	7	4	110	16.3	27
	M	dr	4															
Ambur				•		44	26	30.7	••	• •	••	I	I			_7	8.3	I
Aruppukot Bodinayaka		:	:	:	:	54 39	75 27	36·0		••	::	4 I			•••	15 8	10.4	6 1
Cannanore					•	46	25	28.3	••			••	I	2	••	II	12'4	2
Chidambar Colmbatore	um •	•			•	38 227	32 246	43·8 56·4	••	••	••	•••	12	2 18	I	15 81	20°5	2 26
Cuddalore					•	73 88	76	54 · I	••	••	••		2	3	r	21	15.0	5
Dindigul Erode		:	•	:	•	65	53 39	31.3 31.3	• •	• •	••		2 3	1 4	I I	17 14	10.0 11.5	3 3
	Dista						22	-					_	,		6	8-4	
Gobichetty Guddiyatta		унп	:	•	:	37 51	19	30·9 19·4	••	••	••	•••	2	3	••	6	Q. I	I
Kancheepu		•	•	•	٠	89	82	47.9	••	••	••	••		11	2	26	15.2	6
Karaikudi			•		٠	43 48	19	23.0	••	••	••			I	••	4 6	4.8	3 1
Karur Kozhikode		:		:	:	48 173	21 108	32·5	• •	ï	••	 7	2	7	2	6 ₇	50.1 6.2	9
		•	-			• -	88						-	-		18	9.8	
Kumbakon Madras	ЯΠУ	:	:		:	1 02 1,650	1,12I	44·9 35·3	••	••	••	 51	1 69	161 1	••	523	16.2	3· 127
Mangalore		•	•	•	•	133	74	ž 8·9	••	••	••	2		4	••	24	9 4	6
Mathurai						415	372	46.6	••	4	••	13	5	39	I	133	16.4	28
Mayuram† Melapalaya	m		•		•	40	13	16.9			••	I		I		6	7.8	2
Nagapattin	Am.		,		٠	бо	52	45.1		٠-	••	3	I		••	20	17.3	5
Ottacamun Palani	d	•	:	•	:	46 39	45 34	50·9 45·3	:.	••	:-		3 2	4 3	::	15 18	17.0 24.0	5 6 2
Palayamkot	, tai					44	37	43.7	• •	••	••	2	1	3	I	16	18.9	3
Palghat Periyakulan		•	•	•	•	44 76 33	63 2 7	43°1 42°5	••	••	••		1 2	3	••	10 18	12·3 15·8	3 4 2
Pollachi					,	49	51	54·I		• •	••	1	2	2		17	18.0	6
Pudukottai Rajapalaya	n	:	:	:	•	49 67	27 37	28·7 28·7	••	• •	••			5	••	6 16	6·4 12·4	.:

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.— Smallpox; P.— Plague; F.— Fevers; D. D.— Dysentery and Diarrhoca; R.D.— Respiratory Diseases; M.D.— Maternal Deaths; D.R.—Death Rate; I.D.— Infantile Deaths (included in total deaths); ...— Nil information.; "N. R."-Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955—contd.

Deaths from :-

												•					
	1	own			Mid-year Popn. Est. (000)	В.	B.R.*	C.	S.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.•	I,D.
	Ma	dres-	–cont	đ.													
Selem Srirangam				•	234 41	135 17	30.0	••	••	••	6 2	6	16 3	I ••	69 12	15°3 15°2	4
Srivilliputtur	:	:	:	•	43	29	35.1	••		::	2	1	2		12	14.2	3
Tanjore Tellicherry Tiruchirapalli	:	:	:	:	115 4 ² 2 45	125 53 144	56·5 65·6 30·6	•••	5	::	2 1 4	1 3 4	4 6 7	 2	36 35 67	16.3 43.3 14.2	5 9 12
Tirunelveli Tiruppur		:			79 61	50 40	32·9 34·1		••		••		4 1	::	2 0 9	13·2 7·7	5 2
Tiruvannamala	i.	•	•	•	44	33	39.0	••	• •	• -	••	• •	2	••	4	4'7	2
Tuticorin					109	92	43.9	••	••		2	3	10	• •	35	16.4	12
Vaniyambadi Vellore .	:	•	•	•	4 ² 121	33 96	40·9	••	• •	••	2 3	1 1	16 16	1 2	16 47	20.5 10.8	5 9
Villupuram Virudunagar	:	:	•		39 51	37 69	49°3 70°4	• •	••	••	 	4 2	I	• •	13 13	13.3	5 6
		To	FAL	•	5,183	3,864	38.8		Io		120	145	359	17	1,532	15.4	345
	C)rises	ì														
Berhampur . Cuttack . Puri .	•	•	•		70 114 53	25 132 59	58·1 58·1	•••	••	••	3 7 2	1 6 2	1 7 2	••	10 48 12	7:5 21:9 11:8	6
		7	ΓΟΤΑΙ		237	216	47*4		• •		12	9	10		70	15.4	7
	Pu	njab :	(T)														
Ambala . Amritsar Batala .		:	:		64 335 61	35 170 27	28·5 26·5 23·1	••	•••	••	2 6	4 4 1	37 		6 96 8	4·9 14·9 6·8	3 37 2
Bhiwani Ferozepore Hissar			:	:	56 43 38	34 20 23	31·7 24·2 31·6	•••			4 3	 2	I 2 I	•••	8 3 7	7:5 3:6 9:6	3 1 2
Hoshiarpur Jullundur Karnal	:	:		:	50 194 69	17 89 27	17·7 23 9 20·4	••	••	••	. 2	 4 2	2 6 1	••	11 18 8	11·5 4·8 6·6	i 8 4
Ludhiana Moga Panipat .	· ·	:	:	:	172 40 62	116 20 28	35·2 26·1 23·5	••	 	••	9 6 4	···	2 1 3	 	18 9 15	5°5 11'7 12'6	
Parhanket Rewari Robtak	:	:	• •	:	33 36 102	25 11 42	39.5 15.9 39.5	••	••	••	1 3 4		 1 2	••	3 4 9	4·7 5·8 4·6	
Simle† Sonipat					33	14	22· I		••		6	••	••		7	11.1	4
		Тот	AL		1,388	698	26.2			••	55	19	59	I	230	8-6	85
	U	ter P	rade	•h													
Agra Allghabad Amroba	:	:	•		367 342 60	294 145 5 0	41.8 22°1 43°4		••	••	10 9	9 1 3	56 26 4	••	130 55 24	18·5 8·4 20·8	48 16 7
Bahraich Bangras Ballia†	:	:	:		46 375	25 213	28·3		ï	.:	38	7	2 23	••	9 143	10·2 19·9	5 34
Banda Bareilly Bijnor†	•	:	:	:	32 201	15 98	24·4 25·4		••	••	2 8	ï	10	••	3 41	4·9	2 13

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths) ...=Nil information.

B.R.*

Mid-year Popn.-Est. (000)

B.

Town

†Figures not availables.

Uttar Pradesh-contd.

Total D.R. LD.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955—contd.

C. S.

Deaths from :-

F. D.D. R.D. M.D

Budeun Bastit			•	54	25	24· I				6	••	I		13	12.5	7
Bulandahahr				41	5	6.3			••	3			••	3	3.8	I
Chandausi Dehra Dun Etawa	: :	:	•	40 141 63	36 33 3 2	46·9 12·2 26·5	•••	 	•••	4 11	I	1 3 6	••	9 13 28	11·7 4·8 23·2	6 13
Faizabad-Ayo Farrukhabad-I Ferozabad	dhya . Patchgarh		•	85 81 76	29 48 19	13.0 30.8 14.8	••	••	::	4 7 2	I I	4 10 1	••	11 21 7	6·7 13·5 4·8	4 5 2
Ghaziabad Ghazipur Gorakhpur	: :	:	:	45 36 137	11 20 55	12·7 28·9 20·9		••		3 7 2	 1 8	1 1	 I	6 14 23	6 9 20·2 8·7	 7
Gonds . Hapur Hardwar	: :	•	:	34 48 63	10 28 24	15·3 19·9			•••	3 8 8	•••	 2 6	•••	3 15 25	4·6 16·3 20 7	9 2
Hathras . Jaunpur . Jhansi .	: :	:	:	61 56 115	43 25 89	36.4 23.3 40.3	••	••	••	10 3 18		5 4 4	:: ::	37 10 30	31·6 9·3 31·6	15 1 _ 6
Kanpur . Kasganj . Khurja .	: :	:	:	716 34 40	360 7 7	25·3 10.7 9·1	••	 	::	73 2 1		19 1	3 	224 3 6	15·7 4·6 7·8	70 •• 2
Koil-Aligarh Lucknow Mathura	: :	:	:	148 485 108	53 326 30	18·7 35·0 14·5		 4 	••	5 51 10	1 24 1	7 54 4	 3 	25 228 20	8·8 24·5 9·6	5 63 7
Mau-Nath Bh Metrut Mirzapur-Vin		:	:	37 181 95	30 57 42	42°3 16°4 23°0	••	 	•••	 9 9	I 	 8 4		6 23 17	8·4 6·6 9·3	3 7 3
Moradabad Muzaffarnaga Pilibhit	· :	:	:	163 72 45	80 30 24	25·6 21·7 27·8	••		::	8 5 11	2 2	9 1 2	::	32 8 26	10·2 5·8 30·1	7 3 4
Rampur . Saharanpur Sambhal†	: :	:	:	154 158	6 76	2.0 25·1	••	::	••	2 30	::	3		4 38	1.3	io
Shahjahanpur Sitapur		:	:	99 48	73 10	38·4 10·9	••	• •	••	9 6			::	19 10	10.9	5 2
	TOTAL			5,182	2,583	26.9	••	10		399	82	284	9	1,362	13.7	394
	West B	engal	Į.			"N	I. R."									
						STATES	(Pa	rt B)								
<u> Ja</u> r	mmu & K	ashn	ir			"N.	R."									
Wa	idhya Bh	a=a+														
Greater Gwal Ujjain Ratlam	_	:	•	267 151	155 55	30·2 18·9	••		::	10 22	• . 3	2 	::	23 58	4·5 17·9	2 2
Mandaur Indore				40 357	 298	 43 [.] 4	••	2	••	2 15			· · · 2	3 78	3.9 11 [.] 4	1 24
	Тота			815	508	32.4		2		49	5	15	2	156	10.0	29
M	ysore St	ate														
Bangalore Ci Davangere Kolar Gold Fi		•		936 67 1 7 0	458 77 91	35°7 69°2 27°8	::	**	••	7 2	32 I	41 	••	158 12	12·3 10 7 8·8	••
Mysore City		•	•	-,0	À,	2/0	••	••	••	2	5	8	••	29	8.8	••
•	Тота	L.		1,173	626	27.8				ΙΙ	38	49		199	8-8	
sufficiently re	s of towns eliable for	CEICIII	e there	has been as the birth and	abnormal i death rate	movement	of p	opulati	on, it is					_		

Explanation of symbols used: —B. =Births; B.R. =Birth Rate; C. = Cholera; S. = Smallpox; P. =Plague; P. =Fevers; D.D. = Dysentery and Distribution: R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; L.D. = Infantile Deaths (Included in deaths); ... = Nil Information. "N.R." = Information not received

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955—contd.

										Deati	hs from	; -					
	Town	1			Mid-year Popn. Est. (000)	. В.	B.R.•	C.	8.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
	PE	PSU															
Patiala City Malerkotla Bhatinda	City	•		•	108 34 38	74 22 12	35.6 33.6 16.4	•••		••	10 	 	.; ;	:: ::	25 5 1	12·0 7·6 1·4	13 2
		To	TAL	•	180	108	31.5	••		••	15	2	5	I	31	9 0	15
	Raja	ethar	1					"N.	R."								
	Saures	htra															
Bhavnagar Dhoraji Gondal	:	•	:	:	153 46 40	59 16 32	20°1 18°1 41°6		 	••	14 4 2	. 4 ::	 2 I	••	38 13 8	12·9 14·7 10·4	4 1 3
Jemnagar Junagadh Morvi	:	:	:	:	119 65 42	13 25 15	5·7 20·0 18·6	::	••	••	10 11	 2 	2 I 	••	18 21 3	7·9 16·8 3·7	7 10
Porbandar Surendrana Rajkot	gar	:	:	:	63 41 161	15 10 19	12.4 12.5 6.1	••	••	::	3 2 7	 5	1 3	••	13 4 19	6·1 6·1	., 3
Veraval	•	•	•	•	45	3	3.2	••	••	• •	1	I	I	**	6	6.9	3
	TOTAL	•	•	•	7 75	207	13.9	••	2	••	55	12	11	••	143	9.6	38
	Trev	ranco	ге-С	ochin	1			"N	. R."								
							ARRI	BAR	RETUI	RNS							
1	Vest E	lenga	1				For w/s	e the 9	th Aprü	l, 1955							
Asansol† Baidyabati	•																
Bally .	•	•	•	•	65	4	3.2	••	••	••	••	I	••	••	3	2.4	••
Bankura Bansberia† Baranagar†		•	•	•	49	1	1.0	••	I	••	••	••	••	••	3	3.1	••
Basirhat Berhamput	: :	:	:	:	39 62	6 31	8.0 26 I	••	••	••	 2	••	••	••	2 9	2·7 7·6	2 I
Bhadreswa	Г.	•	•	•	34	6	9.2	••	••	••	**	1 1	 6	••	4	6∙1	••
Bhatpara Budge-Bud Burdwan	lge	:	•	:	141 32 81	19 9 15	7·0 14·6 9·7	••	••	••	14 2	I		••	38 6 10	9 · 8 6 · 4	10 2
Calcutta Champdan Cooch-Beh	ı art	:	•	:	2,931 40	1,108	19·7 14·3			••	51	5 8	96 1	2	499 2	8·9 2·6	152
Darjeeling English Be	t zer t																
Garden Re	ech	•	•	•	121	9	3.9		••		2	I,	1	••	7	3.0	3
Halisahar Hoogly-Ch Howrah	insurab	•	•	:	40 60 471	2 32 124	13.4 24.8 5.6	ï	2	••	9	16	36	••	8 110	7.0 12·2	3 37
Jalpaiguri Kamarhati Kanchrapa	t				71	17	12.5			••		••	••				
Krishnaga Midnapore Nabadwip		:	:	:	55 44 67	1 35 25	0.8 41.2 19.2		••	••	 I 6	; ;	::	••	 8 18	9·5 14·0	 3

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Birth; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Pevers; D.D.—Dysentery and Diarrhosa; R.D.—Respiratory Diseases; M.D.—Maternal Deaths D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 16th April, 1955—concld.

Deaths	from	:
1) CHUIS	тюш	

То	wa			Mid-year popnEst. (000)	в.	B.R.•	c.	S٠	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West	Beng	ral—co	ntd.													
Naihati North Barrackp Panihati	ore.	:	• .	61 36 62	3 2 4	2·6 3·8 3·4	••	••		•••• 	•••	::		 1	o.9	••
Shantipur . Serampore . Siliguri .	:	:	•	48 82 42	4 27 I	4.3 17.2 1.2	•••	••	···	4	5 	ĭ	**	2 24 3	2·2 15·3 3·7	
South Dum Du South Suburba	ım .	•		79	3	2'0			••			• •	••	1	0.7	••
Titagarh	m			76	19	13.0	••	••	••	11	3	7	••	24	16.2	3
, ,	To	TAL		4,938	1,518	16.0	II	3	••	104	93	155	2	783	8 .3	222
	Assan	b				For w/e	the 91	h April	l. 1955							
Shillong † Gauhati . Dibrugarh	: :			50 44	2 5	2·1 5·9			••	5	2 	••	••	15	13.6	
Silchar .	. •			42	8	9.9		••	••	4		~	••	7	8.4	••
	Т	TOTAL	•	136	15	5.7	••	••	••	9	2	••		22	8.4	
Sau	uracht	tra			1	For weeth	16 2nd	l April	1955							
Bhavnagar				153	39	13.3		_		11		2 8	• • •	41	13-9	13
Dhorail .				46	17	20.0	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •				*8	9.0	6
Gondal			•	40	20	26.0				2		1 1		9	11.7	••
T					8	2.7				_						
Jamnagar Junagadh	•	• •	:	119 65	32	3,2 3,2	• •	••	- •	5 7		1 3		16 21	7.0 16.8	5 6
Morvi	:	: :	•	42	16	19·8		•••	• •	í		1 4		6	7.4	2
	•	•	•	7	-*	.,	• •		••	_		- 4	• ••	·	7.4	-
Porbandar Rajkot†	•		•	63	32	26.4	• •	• •	••	3	•	. 2		17	14-0	10
Surendranagar	† •		•	41	6	7.6	••	••	••	••	•	- 3	• •	7	8.9	1
Veraval .	•		•	45	16	18· 5	• •	••	••	Í	•	. 1	••	6	6.9	2
	Тота	AL .		614	186	15.8	••	-	••	30	6	27		131	11.1	45
Madi	hуа В	harat				For w	e the	md Ap	ril, 19 <u>:</u>	55						
0 0 . !!				م.												
Great Gwalion	:		-	267	56	10.9	• •	•:		3	•:	I		12	2·3	• •
I ndore Ujjain				357 151	282 49	16.8 11.1	••	2	••	13 11	. I			88		
بالمالات	•	- •	•	131	47	10 A	••	••		11	3	••	••	, 47 ,	16.3	· I
Retlem Mandsaur†	•	•		71	28	20.2	••	••	••	3	•	. т	••	10	7•3	3
		Тот	AL .	846	415	2 5`5	••	2		30	4	. 11	ī	157	9.7	22

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.=Births, B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D. D.=Dylacntery and Diarrhoss; R.D.=Respiratory Diseases; M. D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 16th April, 1955, relate to 172 towns with an estimated population of 20,158 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 57% of the total number of towns representing 52% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 11,327 and 4,727 representing birth and death rates of 29.2 and 12.2 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 152 towns with an estimated population of 17,215 thousands. Information about Ajmer, Bhopal, Bombay and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 60% of the total number of towns representing 53% of the total population is covered. The number of births and deaths recorded in these towns were 9,878 and 4,198 representing

birth rates and death rates of 29.8 and 12.7 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B):—The data here relate to 20 towns with an estimated population of 2,943 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 42% of the total number of towns representing 46% of the total population is covered. The number of births and deaths recorded in these towns were 1,449 and 529 representing birth and death rates of 25.6 and 9.5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States			Current w	/e 16-4 - 55	Corresponding w/e last year		Corresponding mean during the previous 5-year period	
			B.R.	D.R.	B,R	D.R.	B.R.	D.R.
Andhra			34.9	15 4	22.4	11.5	†	t
Bihar			15.9	6 8	10.5	6.9	12.8	8.1
Delhi .		-	25.3	7.6	16.6	6.0	26.1	10.2
Madhya Pradesh			34*5	16.3	24.9	15.0	28.7	18.3
Madras .			38.8	15`4	27.8	13.9	t	t
Orissa .			47.4	15.4	35*4	13.7	38.9	19.2
Punjab (I)			26.2	8.6	20.5	8.4	22 · I	9'2
Uttar Pradesh			26 9	13 7	21.3	12.9	25.5	17.1
India (only States			29.8	12.7	22.6	12.7	24`7	16.0
Parts A. & C).				† F	igures not available.			

New Delhi-2 (India);

The 9th May, 1955.

K. MITRA, for Registrar General, India.